




**Number at Risk**

| | 0 | 12 | 24 | 36 | 48 | 60 | 72 | 84 | 96 | 108 |
|---|---|---|---|---|---|---|---|---|---|---|
| Low PLR | 98 | 96 | 92 | 86 | 64 | 55 | 30 | 4 | 1 | 0 |
| High PLR | 92 | 90 | 73 | 69 | 47 | 36 | 15 | 6 | 2 | 1 |

**SUPPLEMENTARY FIGURE S1:** Kaplan-Meier overall survival curves according to pretreatment PLR. Patients were stratified into low PLR (<138.08; n=98) and high PLR (≥138.08; n=92) groups. The p-value was obtained from the log-rank test (p=0.323).

*PLR: Platelet-to-lymphocyte ratio*





**Number at Risk**

| | 0 | 12 | 24 | 36 | 48 | 60 | 72 | 84 | 96 | 108 |
|---|---|---|---|---|---|---|---|---|---|---|
| Low SII | 47 | 46 | 43 | 38 | 33 | 30 | 17 | 3 | 1 | 0 |
| High SII | 143 | 140 | 122 | 117 | 78 | 61 | 28 | 7 | 2 | 1 |

**SUPPLEMENTARY FIGURE S2:** Kaplan-Meier overall survival curves according to pretreatment SII. Patients were stratified into low SII (<449.55; n=47) and high SII (≥449.55; n=143) groups. The p-value was obtained from the log-rank test (p=0.871).

*SII: Systemic immune-inflammation index*





**Number at Risk**

| | 0 | 12 | 24 | 36 | 48 | 60 | 72 | 84 | 96 |
|---|---|---|---|---|---|---|---|---|---|
| Low PLR | 98 | 96 | 87 | 78 | 59 | 47 | 24 | 3 | 0 |
| High PLR | 92 | 89 | 71 | 61 | 39 | 27 | 11 | 3 | 0 |

**SUPPLEMENTARY FIGURE S3:** Kaplan-Meier disease-free survival curves according to pretreatment PLR. Patients were stratified into low PLR (<138.08; n=98) and high PLR (≥138.08; n=92) groups. The p-value was obtained from the log-rank test (p=0.149).

*PLR: Platelet-to-lymphocyte ratio*




**Number at Risk**

| | 0 | 12 | 24 | 36 | 48 | 60 | 72 | 84 | 96 |
|---|---|---|---|---|---|---|---|---|---|
| Low SII | 47 | 46 | 42 | 36 | 30 | 25 | 14 | 2 | 0 |
| High SII | 143 | 139 | 116 | 103 | 68 | 49 | 21 | 4 | 0 |

**SUPPLEMENTARY FIGURE S4:** Kaplan-Meier disease-free survival curves according to pretreatment SII. Patients were stratified into low SII (<449.55; n=47) and high SII (≥449.55; n=143) groups. The p-value was obtained from the log-rank test (p=0.917).

*SII: Systemic immune-inflammation index*